

A15

## **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :		11) International Publication Number:	WO 98/37423
G01N 33/68, 33/50	A1	43) International Publication Date:	27 August 1998 (27.08.98)
<ul> <li>(21) International Application Number: PCT/US</li> <li>(22) International Filing Date: 25 February 1998 (</li> <li>(30) Priority Data: 08/805,808 25 February 1997 (25.02.97</li> <li>(71) Applicant (for all designated States except US): 0 PHARMACEUTICALS, INC. [US/US]; 3055 Patri Drive, Santa Clara, 95054–1815 (US).</li> <li>(72) Inventor; and (75) Inventor/Applicant (for US only): MASCAF Desmond [US/US]; 27223 Sherlock Road, Los Al CA 94022 (US).</li> <li>(74) Agents: BUFFINGER, Nicholas et al.; Morrison &amp; 755 Page Mill Road, Palo Alto, CA 94304–1018</li> </ul>	25.02.9 ) U CELTR) ick Hen RENHA Itos Hil	BY, CA, CH, CN, CU, CZ, I HU, IL, IS, JP, KE, KG, KI LT, LU, LV, MD, MG, MK, PT, RO, RU, SD, SE, SG, S UA, UG, US, UZ, VN, YU, S KE, LS, MW, SD, SZ, UG, Z BY, KG, KZ, MD, RU, TJ, T CH, DE, DK, ES, FI, FR, G PT, SE), OAPI patent (BF, B ML, MR, NE, SN, TD, TG).  Published  With international search rep Before the expiration of the claims and to be republished amendments.	DE, DK, EE, ES, FI, GB, GE, P, KR, KZ, LC, LK, LR, LS, MN, MW, MX, NO, NZ, PL, SI, SK, SL, TJ, TM, TR, TT, ZW, ARIPO patent (GH, GM, W), Eurasian patent (AM, AZ, M), European patent (AT, BE, B, GR, IE, IT, LU, MC, NL, CF, CG, CI, CM, GA, GN,

#### (54) Title: METHOD FOR PREDICTING DRUG RESPONSE, IN PARTICULAR IGF-I

#### (57) Abstract

Methods are provided for formulating models for predicting whether subjects will respond to a particular drug or treatment regimen. Biochemical profiles are obtained (by measuring a variety or biochemical parameters) for a test group before and after treatment with the drug or regimen. These values are used to formulate a specific predictive method for the particular drug or treatment regimen. The predictive measurement is then used with biochemical parameters obtained from a subject to predict whether that subject will respond to the particular drug or treatment regimen. The treatment is preferably insulin-like growth factor (IFG-I), in combination with IGFBP-3, and the biochemical parameters are thyroid stimulating hormone and tetraiodothyroine levels.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
1	Amenia	FI	Fin land	LT	Lithuania	SK	Slovakia
AM AT	Armena Austria	FR	France	LU	Luxembourg	SN	Senegal
	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AU	Austrana Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
AZ BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BB	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BE BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
1		HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria	IE	Ireland	MN	Mongolia	UA	Ukraine
BJ	Benin .	IL.	Israel	MR	Mauritania	UG	Uganda
BR	Brazil	IS	Iceland	MW	Malawi	US	United States of America
BY	Belarus	IT	Italy	MX	Mexico	UZ	Uzbekistan
CA	Canada	JР	Japan	NE	Niger	VN	Viet Nam
CF	Central African Republic	KE	Kenya	NI.	Netherlands	YU	Yugoslavia
CG	Congo	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
СН	Switzerland	KP	Democratic People's	NZ	New Zealand		
CI	Côte d'Ivoire	KP	Republic of Korea	PL	Poland		
CM	Cameroon	KR		PT	Portugal		
CN	China		Republic of Korea	RO	Romania		
CU	Cuba	KZ	Kazakstan	RU	Russian Federation		
CZ	Czech Republic	LC	Saint Lucia	SD	Sudan		
DE	Germany	LI	Liechtenstein	SE	Sweden		
DK	Denmark	LK	Sri Lanka	SG			
EE	Estonia	LR	Liberia	SG	Singapore		
1							
I							

### METHOD FOR PREDICTING DRUG RESPONSE, IN PARTICULAR IGF-I

### TECHNICAL FIELD OF THE INVENTION

This invention relates to methods for predicting the responsiveness of a subject to a particular drug or treatment regimen.

#### BACKGROUND OF THE INVENTION

The variability of individual responses to drugs can complicate the treatment of many disorders. Even within a population that is relatively homogenous (*i.e.*, same sex, a narrow range of ages, etc.), some subjects will respond well to a particular drug, while other subjects will respond poorly.

The problem of interpatient variability is particularly serious among sufferers of chronic diseases. For example, many drugs utilized to treat chronic psychological disorders (e.g., depression) require many days or even weeks before an effect, if any, is seen. For subjects that do not respond to the drug, the "wait and see" period only prolongs the period of suffering.

U.S. Patent No. 5,209,920 discloses a method for predicting susceptibility to inflammatory diseases. The method disclosed involves administering a test compound which is known to affect the hypothalamic-pituitary-adrenal axis, then measuring the levels of pituitary and adrenal hormones. Individuals that do not respond to the test compound with increased pituitary and adrenal hormones are deemed "susceptible." This disclosure does not provide any teaching regarding a method for predicting whether a subject will respond to a particular drug or treatment regimen.

Accordingly, there is a need in the art for a method of predicting the responsiveness of a subject to a particular drug or treatment regimen. A method for predicting responsiveness would allow physicians and other medical professionals to quickly determine an effective drug or treatment regimen for a particular subject, thus reducing the subject's suffering and expense. A method for predicting responsiveness would also reduce or eliminate a subject's exposure to drugs or treatment regimens that are not effective, thereby reducing or eliminating suffering from side effects of such ineffective drugs or treatment regimens.

1

20

5

10

15

25

## DETAILED DESCRIPTION OF THE INVENTION

It is an object of the invention to provide methods for formulating predictive models of subjects' responsiveness to a drug or treatment regimen.

5

10

15

20

25

30

It is a further object of this invention to provide methods for predicting a subject's responsiveness to a drug or treatment regimen. It is yet a further object of the instant invention to provide methods for predicting a subject's responsiveness to a administration of recombinant human insulin-like growth factor I (rhIGF-I) or IGF-I complexed with insulin-like growth factor binding protein 3 (IGFBP-3).

It is a further object of the instant invention to provide methods and diagnostic kits for predicting a subject's responsiveness to a drug or treatment regimen.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a correlation density plot for biochemical parameters from clinical trial 9602. Bold face indicates responses that are statistically significant. Abbreviations used: "nd" means not determined; "IGF-I" means insulin-like growth factor I; "IGF-II" means insulin-like growth factor binding protein 2; "IGFBP-3" means insulin-like growth factor binding protein 3; "LH" means leutinizing hormone; "EPO" means erythropoietin; "C1CP" means procollagen peptide; "PTH" means parathyroid hormone; "BSAP" means bone specific alkaline phosphatase; "A4" means androstenedione; "DHEA-S" means dehydroepiandrosterone sulfate; "T3" means triiodothyronine; "T4" means tetraiodothyronine; "CBG" means cortisol binding globulin; and "SHBG" means steroid hormone binding globulin.

Figure 2 shows a correlation density plot for biochemical parameters from clinical trial 9604. Bold face indicates responses that are statistically significant. Abbreviations are the same as in Figure 1.

Figure 3 shows correlations between biochemical responses to administration of IGF-I/IGFBP-3 complex. Panel A shows IGF-I response versus IGFBP-3 response. Panel B shows estradiol response versus IGF-I response. Panel C shows estradiol response versus C1CP response.

Figure 4 shows a crude predictive relationship plotted using data from 9602 clinical trial data. The predictive method used was the product of the log[TSH] and total T4.

Figure 5 shows a plot of predicted versus actual responses using 9602 clinical trial data. The predictive method used is shown in Example 1.

Figure 6 is a plot of predicted versus actual responses using 9604 clinical trial data. The predictive method used is exemplified in Example 1.

5

10

15

20

## MODES OF CARRYING OUT THE INVENTION

The invention relates to methods for predicting a subject's response to a particular drug or treatment regimen. A subject's biochemical profile (e.g., serum concentrations of thyroid, adrenal, gonadal and pituitary hormones, organ-specific markers and the like) is measured prior to treatment and used to predict the subject's response to a particular drug or treatment regimen.

The invention also relates to methods for formulating predictive models for responsiveness to a particular drug or treatment regimen. A predictive method may be created for any particular drug or treatment regimen. The method for formulating predictive models involves:

(a) selecting a cohort of test subjects;

- (b) obtaining an biochemical profile from each of the test subjects by measuring various biochemical parameters;
- (c) administering a particular drug or treatment regimen;

(d) measuring the effects of the drug or treatment regimen;

- (e) performing correlation tests between the biochemical parameters and the effects of the drug or treatment regimen;
- (f) selecting biochemical parameters that correlate with the effects of the drug or treatment regimen; and
- (g) deriving a predictive method between the selected biochemical parameters and the response to the drug or treatment regimen.

30

25

Not all subjects respond identically to any given drug or treatment regimen. For most, if not all drug and treatment regimens, subjects respond in varying degrees, and some percentage of the subjects fail to respond entirely. A method for formulating a predictive model that can predict a particular subject's response to a particular drug or treatment regimen has been discovered. A method for predicting a particular subject's

response to a particular drug or treatment regimen has also been discovered. Also included within the instant invention are diagnostic kits utilizing a predictive method created in accordance with the invention.

Different subjects diagnosed with a given disorder generally exhibit widely varying biochemical profiles. The response of an individual to a drug is dependent on that individual's neuroendocrine status that, in turn, is reported by some aspect of the individual's biochemical profile. However, because the interactions between the different biochemical and endocrine sub-systems (*e.g.*, between the somatotropic, thyroid and adrenal axes) are extremely complex, it is necessary to look at a large number of biochemical markers before devising a predictive method. The methods of the invention, therefore, utilize a broad biochemical profile to predict whether a given subject will respond to a particular drug or treatment regimen.

The methods within the instant invention are not based on intuitive logic but rather are based on analyzing the effect of a drug or treatment regimen on known biochemical and/or endocrine elements.

The formulation of a predictive model for the prediction of a subject's procollagen peptide (C1CP) response to treatment with a complex of recombinant human insulin-like growth factor I (rhIGF-I) and recombinant human insulin-like growth factor binding protein 3 (rhIGFBP-3) is exemplified herein. The method of formulating a predictive model for predicting response to rhIGF-I and rhIGFBP-3 complex (rhIGF/IGFBP-3) can be applied to formulate a method for predicting the response of the rhIGF-I/rhIGFBP-3 complex in osteoporotic subjects. The method of formulating a predictive model is also applicable to any other drug or treatment regimen, such as antidepressant medications (*e.g.*, fluoxetine), anti-ulcer medications, medications acting on the cardiovascular system (*e.g.*, anti-hypertensive medications), and the like.

In the method for formulating a predictive model for predicting a subject's response, a cohort is selected by criteria known to one of skill in the art. Preferably, the cohort is approximately representative of the population for which the drug or treatment regimen is intended.

A biochemical profile is determined by measuring serum levels of various biochemical molecules and other serum markers. A biochemical profile should include measurements of biochemical molecules and serum markers from a wide variety of

30

5

10

15

20

endocrine and metabolic systems. Preferably, a biochemical profile will include measurements of biochemical parameters selected from a wide variety of endocrine systems, including, but not limited to, the somatotropic axis (*e.g.*, IGF-I, IGF-II, IGFBP-3, growth hormone (GH) and the like), the thyroid axis (triiodothyronine (T3), tetraiodothyronine (T4), thyroid stimulating hormone (TSH), thyroglobulin, and the like), the adrenal axis (dehydroepiandrosterone -(DHEA), dehydroepiandrosterone-sulfate (DHEAS), cortisol, aldosterone, and the like), the gonadal axis (testosterone, androstenedione, estradiol, and the like), and the hypothalamic-pituitary axis (prolactin (PRL), leutinizing hormone (LH) and the like). A biochemical profile may also optionally include serum levels of markers specific to certain processes or organ systems, including parameters including, but not limited to, levels of anabolic markers (such as procollagen peptide (C1CP) and the like), bone markers (such as osteocalcin, bone alkaline phosphatase, and the like) and renal hormones (such as renin, angiotensin, and the like).

Administration of the test drug or treatment regimen may begin following acquisition of samples sufficient to perform all testing necessary to establish a biochemical profile for each member of the test cohort. The drug or treatment regimen may be administered to the test cohort in any manner that is known in the art; the exact method of administration, dose level and dosing schedule will be specific to the particular drug or treatment regimen, as will be apparent to one of skill in the art.

During the administration of the drug or treatment regimen, or subsequent to the administration (depending on the particular drug or treatment regimen and the response that is to be measured), responsiveness is measured. As with the exact treatment details, the measurement of responsiveness will be specific to the particular drug or treatment regimen, as will be apparent to the skilled artisan. In the case of IGF or IGF/IGFBP-3 complex, responsiveness may be measured by testing bone markers (e.g., bone mineral density, serum levels of osteocalcin, bone alkaline phosphatase and the like.), renal markers (e.g., serum levels of renin, creatinine clearance, and the like), anabolic markers (such as serum levels of C1CP, nitrogen balance, lean body mass and the like), wound healing indices (such as wound closure rates and the like), psychological indices (such as improvement in cognitive or memory skills, improvement in symptoms of psychological disorders and the like), or any other indicator of responsiveness, as will be apparent to one

of skill in the art. Measures of responsiveness are preferably normalized to a baseline level. The data set of the measures of responsiveness is referred to as the "efficacy set."

After a biochemical profile has been established and measures of responsiveness have been obtained for the members of the test cohort, the individual parameters of the biochemical profile are tested for correlation with the measures of responsiveness.

Correlation testing may be done using any valid statistical testing method known to the art.

Biochemical parameters that correlate well (either positively or negatively) are selected for use in deriving the predictive method. It is preferable to begin investigating the three or four biochemical parameters with the highest r values. Preferably, biochemical parameters that correlate with an r value of greater than 0.4 are selected for use in deriving the predictive method. The selected biochemical parameters are then combined to derive the predictive method. In generating a predictive method, operations such as addition, subtraction, product, ratio, and the like should be performed between each pair of the selected data sets (and derivative sets representing square root, logarithm, and the like) of each should be examined, in each case comparing the resulting transformed data set with the efficacy set. Those comparisons yielding progressively higher "r" values are retained for further combinations, until the best possible predictive method is generated. The value of each biochemical parameter selected for use in deriving the predictive method may also be multiplied, divided, added to, or subtracted from when deriving the predictive relationship, in order to make maximize the accuracy of the predictive method. The values of each biochemical parameter selected for use in deriving the predictive method may be further modified by any standard mathematical operation, such as raising to a power, taking a logarithm, finding a root, and the like, in order to maximize the accuracy of the predictive method.

25

30

5

10

15

20

The specific predictive method derived by the method for formulating a predictive model may then be utilized to predict the responsiveness of a subject to a particular drug or treatment regimen. The particular biochemical values that are utilized in the predictive method are measured in the subject, then employed in the predictive method. As shown in Example 1, serum levels of TSH, total T4, and IGF-I are used to create a predictive method to determine the effect on a subject's C1CP and/or IGFBP-3 blood levels of the administration of IGF/IGFBP-3 complex. A physician or other skilled artisan may then utilize this predicted response value to decide whether or not to treat the subject with

IGF/IGFBP-3 complex in order to increase the subject's C1CP and/or IGFBP-3 levels. This predicted response to IGF/IGFBP-3 complex administration will be useful in deciding whether to treat a subject in need of an anabolic treatment, particularly an anabolic treatment that improves bone, muscle and/or connective tissue strength.

5

The predictive methods formulated by the methods for formulating specific predictive methods may also be used to provide diagnostic kits. A diagnostic kit based on a predictive method formulated in accordance with methods of the invention includes reagents for measuring the biochemical parameters that are utilized in the predictive method. Reagents for measuring biochemical parameters are well known in the art, and may include enzyme-linked immunosorbent assays (ELISA), radioimmunoassays (RIA), and any other assays known in the art for specific detection of the level of a particular biochemical parameter. Such a diagnostic kit also optionally includes instructions, software, and/or a worksheet for calculating the predicted responsiveness, based on the particular biochemical parameters tested.

15

10

Instructions for the kit include a listing of required materials and assay results, a mathematical representation of the predictive relationship, and a protocol for utilizing the biochemical parameter(s) with the mathematical representation to produce a predicted responsiveness. Software included with the kit operates on a digital computer, prompts the user for the necessary biochemical parameters, and, using the predictive method, calculates and returns the predictive responsiveness. A worksheet for the kit includes a mathematical representation of the predictive method, and allows the user to calculate the predicted responsiveness based on the biochemical parameters obtained using the assays in the kit.

#### **EXAMPLES**

## Example 1

5

10

15

Data sets from two separate clinical trials of rhIGF-I/IGFBP-3 complex were utilized to create a predictive method for response to the complex. The first study ("9602") involved repeated intravenous administration of rhIGF-I/IGFBP-3 to normal volunteers (male and female), ages 20-53. The second trial ("9604") involved continuous subcutaneous infusion of rhIGF-I/IGFBP-3 complex to normal female volunteers, ages 55-70.

Biochemical profiles were determined for each test subject by assaying serum levels of biochemical parameters. The effects of inter-subject variability on the analysis was minimized by calculating the biochemical response of each subject on a relative basis. For each biochemical marker, the level at the end of the study was compared with that at the beginning, then expressed as a percentage of baseline. Statistical methods, including measures of significance were applied to these data sets.

The relative IGF-responsiveness of each subject (with respect to each of the biochemical markers, especially IGF-I, IGF-II, IGFBP-2, IGFBP-3, DHEAS, androstenedione, estradiol, total T4, and procollagen peptide (C1CP)) was then computed by comparison with the mean for each treatment group. These data sets are shown in Table 1 (9602) and Table 2 (9604).

TABLE

-т	 			т	<del></del>					,		 	 <del></del> ,	,	<del>,</del>		<del>,</del>	T	<del></del>				
PRL resp	111.9	67.3	122.8	66	108.1	109.9	1.06	92.8	66.7	124.3	112.3	Estrad resp	77.7	55.3	9.98	181	131.5	77.8	62	129.6	92.6	111.5	92.9
SHBG re	100	101.1	106.7	91	\$	120.8	90.1	89.1	104.7	70.1	126	Cort resp	79.1	53.3	139.1	127.6	129.2	67.6	74	100	91.4	97.4	110.3
LH resp	187.8	63.4	28.1	122	62.2	205.8	72.3	116	112	88	n.d.	CBG resp	67.6	108.3	104.2	89.6	112.9	\$	95	93.1	96.2	88.5	114.4
A.Renin res	61	70.7	74.8	194.3	94.6	47.9	129,2	113.9	85.3	125.7	6.68	Testost re	6'86	105.6	6.86	94.4	124.4	118.9	64.5	129.9	82.5	66	118.6
EPO resp	111.8	78.6	82.7	126.8	86	60,4	81.7	159.9	100	93.5	107.2	A4 resp	205	52	71	92	109	59	99	157	109	78	117
BSAP resp	113.1	87.9	100.9	96.3	101	67101	88.5	106.7	109	93	88	DHEA res	87.1	68.3	136.6	105.9	94.5	92.6	6.601	100	84.7	124.2	90.3
Osteo resp	65	187.5	68.1	78.8	94.4	54.2	112.5	136.1	100.8	98	102.4	DHEAS re	8	113	901	16	102	102	82	113	66	100	101
CICP resp	68	107	107	76	105	87	116	92	104	113	83	tT3 resp	101.2	90.7	109.3	8.86	102.2	94.6	106.5	95.7	108.1	102	6.68
BP-3 resp	93.7	86.5	124.3	96.4	94.5	95.6	6'601	100	84.7	124.2	90.3	TBG resp	100	. 80.2	126.4	93.4	117.4	86.2	88.1	108.3	140.1	79	81.5
BP-2 resp	101	115	112	73	2	\$	103	141	177	30	93	TG resp	117.6	108.4	98.3	80.7	129.6	84.3	7.5.7	110.4	84.8	84.8	130.4
IGF-II resp	103	88.1	100	110.5	89.7	94.8	98.3	113.8	104.8	111.9	83.3	FT4resp	97.8	121.5	107.5	74.2	119.6	86	93.1	88.2	108	100.9	91.2
IGF-I resp	88.7	102	119.3	90.7	109.8	70.7	125.6	92.9	91.6	92.1	115.8	tT4 resp	86	115	26	88	76	88	101	113	87	92	119
STIBLECTS	2	3	4	9	7	oc		12	14	15	91	SUBJECTS	2	3	4	9	7	∞	11	12	14	15	91

**FABLE 2** 

										tPTH resp		82.6	6'801	108.6	135.8	73.3	91	138.4	110.9	50.7
146.2	67.8	98	79.6	111	. 9.6	111.5	185.9	43.3		A4 resp		36.2	84	179.9	190.6	57.9	51.6	119.5	76.9	103.7
132	93.3	74.8	117.4	73.4	109.2	64.5	110.1	125.4		Testostre		63.1	9.76	139.4	131.3	93	75.6	137.1	90.5	72.5
52.8	128	119.1	8.66	86.2	114.2	140.8	8.09	98.5		DHEAS re		88.2	93	118.8	128.3	6.62	91.7	112.5	77.6	109.9
68 .	106.9	104.1	78.7	122.1	99.3	111	112.4	76.6		Cortisol		59.8	16	149.3	92.1	114.8	93.1	59.5	45.7	194.8
82.9	8.601	107.3	79.2	146.8	80.4	86.4	146.8	70		Osteocal re		81.6	116.9	101.5	166.4	74.9	58.7	32.8	202.8	64.4
122.7	95.5	81.7	7.76	9.601	92.7	80.8	132.4	86.0		BSAP resp		101.6	101.6	296.7	128.8	83.7	87.5	117.4	1.76	92.6
138.3	83.3	78.5	113.1	115.9	71	6.06	153.3	55.8		C1CP resp		82.9	109.8	107.3	72.9	146.8	80.4	86.4	146.7	70
89.7	138.7	71.7	72.8	6'06	136.1	130.6	56.6	112.9		Osteocal re		81.6	116.9	101.5	166.4	74.9	58.7	32.8	202.8	64.4
 129.6	90.1	80.4	6.901	93.8	99.3	101.4	106.7	92		EPO resp		107.5	6.701	84.5	112	75.7	112.3	63.4	187.7	48.9
73.1	10.2.1	124.8	99.1	74.3	126.5	19.1	143.8	137.2		Estradiol re		108.7	98	105.4	101.5	129.6	68.7	81.7	150.9	67.5
103.5	92.2	104.3	89.2	111.9	99.1	106.2	91.7	102		PRL resp		52.8	128	119.1	8.66	86.2	114.2	140.8	8.09	98.5
107.5	107.9	84.5	112	75.7	112.3	63.4	187.7	48.9		IGF-II resp		89.7	138.7	71.7	72.8	6.06	136.1	130.6	56.6	112.9
5	9	7	109	110	112	201	203	204		SUBJECTS		5	9	7	109	110	112	201	203	204
	107.5 103.5 73.1 129.6 89.7 138.3 122.7 82.9	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         · 89         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         · 89         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         · 89         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4           75.7         111.9         74.3         93.8         90.9         115.9         109.6         146.8         122.1         86.2         73.4	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.5         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4           112.3         99.1         126.5         99.3         136.1         71         92.7         80.4         99.3         114.2         109.2	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132         132         132         132         132         132         132         132         132         132         132         132         132         133         133         134.5         106.9         128         93.3         93.3         95.5         109.8         106.9         128         93.3         93.3         93.3         93.3         93.3         93.3         93.3         93.3         93.3         93.4         93.4         93.8         117.4         93.4         93.8         117.4         93.3         117.4         93.3         117.4         93.8         117.4         93.3         117.4         93.8         113.4         93.3         113.4         109.2         73.4         93.3         113.4         109.2         73.4         93.3         114.2         109.2         73.4         93.3         114.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2         109.2 <t< td=""><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4           112.3         99.1         126.5         99.3         136.1         71         92.7         80.4         99.3         114.2         109.2           63.4         106.2         19.1         101.4         130.6         90.9         80.8         86.4         111         140.8         64.5           187.7         91.7         91.7         146.8         112.4         60.8         110.1</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           112         84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3         117.4         97.7         79.2         78.7         99.8         117.4</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3         117.4         97.7         78.7         99.8         117.4         97.7         78.7         99.8         117.4         117.4         117.4         117.4         117.4         117.4         117.4         109.2</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132.         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         122.1         86.2         107.9         106.9         72.8         113.1         97.7         79.2         78.7         99.8         174.8         86.7           112.3         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           112.3         99.1         106.9         72.8         115.9         109.6         146.8         122.1         86.2         73.4         111           75.7         111.9         74.3         90.9         115.9         109.6         146.8         122.1         86.2         73.4         111           63.4         106.2         19.1         106.9         136.1         136.6         133.4         116.8         111.2         109.2         73.6           187.7         91.7         146.</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         86           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.8         78.7         99.8         117.4         79.6</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         8.9         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         86.8           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           75.7         111.9         74.3         99.9         115.9         109.6         146.8         122.1         86.2         73.4         111.           75.7         111.9         74.3         99.9         115.9         109.6         146.8         122.1         86.2         73.4         111.           63.4         106.2         19.1         101.4         130.6         90.9         80.8         86.4         111.         40.8         64.5         111.5           187.7         91.7         143.8</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         104.1         119.1         74.8         86.4           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         79.2         78.7         79.8         79.9         79.9         79.9</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         78.9         52.8         132.9         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         148.2         146.2         166.9         12.8         93.3         67.8         167.3         166.9         12.8         93.3         67.8         167.3         166.9         12.8         93.3         174.8         86.7         174.1         119.1         74.8         86.7         174.1         119.1         74.8         86.7         174.1         119.1         74.8         86.7         111.1         74.8         86.7         111.1         74.8         86.7         111.1         140.8         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.2         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.2         109.2</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         462           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         109.8         106.9         17.8         95.3         167.8         86.7         107.1         17.8         86.7         107.1         78.7         19.9         117.4         79.6         18.7         99.8         117.4         79.6         18.7         19.8         117.4         79.6         18.7         19.8         117.4         79.6         18.7         19.8         111.4         74.8         86.7         111.1         19.2         111.4         19.6         114.8         111.4         19.6         111.5         111.4         19.2         111.4         111.4         111.5         111.5         111.5         111.5         111.5         111.4         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5<td>107.5         103.5         73.1         129.6         88.7         138.3         122.7         82.9         8.9         53.8         132.7         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         157.3         164.3         167.3         164.3         152.7         146.2         152.7         148.2         193.3         147.3</td><td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         5.8         132.7         146.2         147.2         146.2         146.2         147.</td><td>107.5         103.5         73.1         129.6         89.7         183.3         122.7         82.9         89         52.8         132.7         146.2         147.2         146.2         147.2         146.2         147.2         146.2         147.2         147.2         147.2&lt;</td><td>107.5         103.5         7.1         129.6         88.7         138.3         122.7         82.9         88.9         138.7         188.3         122.7         82.9         88.9         138.7         188.3         122.7         88.9         138.7         188.3         152.7         109.8         106.9         128         93.3         67.8           112.2         92.2         102.1         90.1         138.7         85.3         95.5         109.8         106.9         128         93.3         67.8           112.2         89.2         104.3         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           112.3         99.1         106.9         72.8         115.9         109.6         146.8         122.1         88.2         73.4         111.         77.4         79.6         79.8         111.4         79.6</td></td></t<>	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4           112.3         99.1         126.5         99.3         136.1         71         92.7         80.4         99.3         114.2         109.2           63.4         106.2         19.1         101.4         130.6         90.9         80.8         86.4         111         140.8         64.5           187.7         91.7         91.7         146.8         112.4         60.8         110.1	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           112         84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3         117.4         97.7         79.2         78.7         99.8         117.4	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         93.3         117.4         97.7         78.7         99.8         117.4         97.7         78.7         99.8         117.4         117.4         117.4         117.4         117.4         117.4         117.4         109.2	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89.9         52.8         132.         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         122.1         86.2         107.9         106.9         72.8         113.1         97.7         79.2         78.7         99.8         174.8         86.7           112.3         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           112.3         99.1         106.9         72.8         115.9         109.6         146.8         122.1         86.2         73.4         111           75.7         111.9         74.3         90.9         115.9         109.6         146.8         122.1         86.2         73.4         111           63.4         106.2         19.1         106.9         136.1         136.6         133.4         116.8         111.2         109.2         73.6           187.7         91.7         146.	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         86           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.8         78.7         99.8         117.4         79.6	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         8.9         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         107.3         104.1         119.1         74.8         86.8           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           75.7         111.9         74.3         99.9         115.9         109.6         146.8         122.1         86.2         73.4         111.           75.7         111.9         74.3         99.9         115.9         109.6         146.8         122.1         86.2         73.4         111.           63.4         106.2         19.1         101.4         130.6         90.9         80.8         86.4         111.         40.8         64.5         111.5           187.7         91.7         143.8	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         146.2           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         81.7         104.1         119.1         74.8         86.4           112         89.2         99.1         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         78.7         79.2         78.7         79.8         79.9         79.9         79.9	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         78.9         52.8         132.9         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         148.2         146.2         166.9         12.8         93.3         67.8         167.3         166.9         12.8         93.3         67.8         167.3         166.9         12.8         93.3         174.8         86.7         174.1         119.1         74.8         86.7         174.1         119.1         74.8         86.7         174.1         119.1         74.8         86.7         111.1         74.8         86.7         111.1         74.8         86.7         111.1         140.8         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.2         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.4         109.2         111.2         109.2	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         89         52.8         132         462           107.9         92.2         102.1         90.1         138.7         83.3         95.5         109.8         106.9         128         93.3         67.8           84.5         104.3         124.8         80.4         71.7         78.5         109.8         106.9         17.8         95.3         167.8         86.7         107.1         17.8         86.7         107.1         78.7         19.9         117.4         79.6         18.7         99.8         117.4         79.6         18.7         19.8         117.4         79.6         18.7         19.8         117.4         79.6         18.7         19.8         111.4         74.8         86.7         111.1         19.2         111.4         19.6         114.8         111.4         19.6         111.5         111.4         19.2         111.4         111.4         111.5         111.5         111.5         111.5         111.5         111.4         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5         111.5 <td>107.5         103.5         73.1         129.6         88.7         138.3         122.7         82.9         8.9         53.8         132.7         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         157.3         164.3         167.3         164.3         152.7         146.2         152.7         148.2         193.3         147.3</td> <td>107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         5.8         132.7         146.2         147.2         146.2         146.2         147.</td> <td>107.5         103.5         73.1         129.6         89.7         183.3         122.7         82.9         89         52.8         132.7         146.2         147.2         146.2         147.2         146.2         147.2         146.2         147.2         147.2         147.2&lt;</td> <td>107.5         103.5         7.1         129.6         88.7         138.3         122.7         82.9         88.9         138.7         188.3         122.7         82.9         88.9         138.7         188.3         122.7         88.9         138.7         188.3         152.7         109.8         106.9         128         93.3         67.8           112.2         92.2         102.1         90.1         138.7         85.3         95.5         109.8         106.9         128         93.3         67.8           112.2         89.2         104.3         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           112.3         99.1         106.9         72.8         115.9         109.6         146.8         122.1         88.2         73.4         111.         77.4         79.6         79.8         111.4         79.6</td>	107.5         103.5         73.1         129.6         88.7         138.3         122.7         82.9         8.9         53.8         132.7         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         146.2         157.3         164.3         167.3         164.3         152.7         146.2         152.7         148.2         193.3         147.3	107.5         103.5         73.1         129.6         89.7         138.3         122.7         82.9         5.8         132.7         146.2         147.2         146.2         146.2         147.	107.5         103.5         73.1         129.6         89.7         183.3         122.7         82.9         89         52.8         132.7         146.2         147.2         146.2         147.2         146.2         147.2         146.2         147.2         147.2         147.2<	107.5         103.5         7.1         129.6         88.7         138.3         122.7         82.9         88.9         138.7         188.3         122.7         82.9         88.9         138.7         188.3         122.7         88.9         138.7         188.3         152.7         109.8         106.9         128         93.3         67.8           112.2         92.2         102.1         90.1         138.7         85.3         95.5         109.8         106.9         128         93.3         67.8           112.2         89.2         104.3         106.9         72.8         113.1         97.7         79.2         78.7         99.8         117.4         79.6           112.3         99.1         106.9         72.8         115.9         109.6         146.8         122.1         88.2         73.4         111.         77.4         79.6         79.8         111.4         79.6

The data sets containing each subject's responsiveness to IGF-I/IGFBP-3 complex were then compared pairwise by calculating coefficients of correlation between the data sets. A density map of these correlations is shown in Figure 1 for 9602 and Figure 2 for 9604. Inspection of the density maps reveals a significant non-randomness to the distributions of density for each study. Correlations are observed to endocrine responsiveness within functional areas (somatotropic, adrenal, thyroid), suggesting that these kinds of statistical computations are valid and meaningful. Further, this method of representing endocrine responsiveness is novel and provides insights into the interconnectivity between endocrine sub-systems.

The correlation between the responsiveness to three biochemical markers (IGF-I, IGFBP-3 and estradiol) is graphically represented in panels A-C of Figure 3. These graphs show that each subject appears to respond in a coordinate manner with respect to each of these biochemical indices. Similar connections were observed for other high density areas on the correlation maps.

In order to compute "effectiveness," the areas of density of the map with the highest interconnectiveness were chosen for further investigation. The somatotropic and bone group of biochemical markers, including C1CP, IGF-I, IGF-II, IGFBP-2, IGFBP-3, estradiol and erythropoietin (EPO) were chosen. For simplicity, a formula based on only the C1CP and IGFBP-3 responses was derived.

The working definition of drug efficacy for this example was the average of the data sets for the responses to C1CP and IGFBP-3 ("efficacy set"). Basal levels of various biochemical markers in the population in each study prior to receiving drug were compared in pairwise fashion with the efficacy set. All of those biochemical markers whose sets correlated (positively or negatively) with an "r" value exceeding 0.4 were further investigated for inclusion as factors in a predictive relationship.

The data sets for basal levels of IGF-I, total T4 (tT4) and TSH were selected for further study. By empirical derivation using the procedure outlined above, the following formula (Formula #1) was derived:

$$P = \frac{\log ([TSH]+1) X [tT4]}{[IGF-1]}$$

where,

5

10

15

20

25

P is the predicted efficacy of the drug

[TSH] is the basal concentration of TSH (μIU/mL)

[tT4] is the basal concentration of total T4 (ng/mL)

[IGF-I] is the basal concentration of IGF-I (ng/mL).

5

The values utilized in this predictive method should lie within the normal clinical range. Any major derangement in a particular endocrine axis may prejudice the value of that biochemical marker in a predictive method. For the above factors, the normal clinical ranges are:

10

å3,

TSH: ca. 0.5-5.0 μIU/mL.

tT4: ca. 40-130 ng/mL.

IGF-I: ca. 70-440 ng/mL.

15

If a subject's value lies just outside the normal range for one of these factors, the closest boundary value within the normal range should be used in the computation.

1

Figures 4 and 6 show part of the derivation of the above formula. In Fig. 3, only the TSH and tT4 values were utilized in the computation, leading to an "r" value of 0.843. This value was raised to 0.949 by including the [IGF-I] value in the computation.

20

The generality of this particular predictive method is shown by applying it to the data set from 9602. Despite vast differences in the populations used in the two studies (i.e., age and gender), and in the mode of drug administration, the predictive method of Formula # 1 fits the data set of 9602 extremely well (Figure 5). It should also be mentioned that this predictive method can be used to predict either C1CP or IGFBP-3 responsiveness individually.

25

The patents, patent applications, and publications cited throughout the disclosure are incorporated by reference herein in their entirety.

The present invention has been detailed both by direct description and by example. Equivalents and modifications of the present invention will be apparent to those skilled in the art, and are encompassed within the scope of the invention.

#### CLAIMS

I claim:

10

15

20

- 1. A method for formulating a predictive model of a subject's responsiveness to a drug or treatment regimen, comprising:
  - (a) selecting a cohort of test subjects;
  - (b) obtaining a biochemical profile from each of the test subjects by measuring various biochemical parameters;
  - (c) administering the drug or treatment regimen;
  - (d) measuring the effects of the drug or treatment regimen;
  - (e) performing correlation tests between the biochemical parameters and the effects of the drug or treatment regimen;
  - (f) selecting biochemical parameters that correlate with the effects of the drug or treatment regimen; and
  - (g) deriving a predictive relationship between the selected biochemical parameters and the response to the drug or treatment regimen.
  - 2. The method of claim 1 wherein said drug or treatment regimen is parenteral administration of insulin-like growth factor (IGF).
    - 3. The method of claim 2 wherein said IGF is human IGF-I.
  - 4. The method of claim 1 wherein said drug or treatment regimen is parenteral administration of a combination of human IGF-I and insulin-like growth factor binding protein 3 (IGFBP-3).
  - 5. The method of claim 2 wherein said parenteral administration is selected from the group consisting of intravenous, intramuscular, intraperitoneal, intranasal, subcutaneous, or inhalant administration.

6. The method of claim 4 wherein said parenteral administration is selected from the group consisting of intravenous, intramuscular, intraperitoneal, intranasal, subcutaneous, or inhalant administration.

- 7. A method for predicting a subject's responsiveness to a drug or treatment regimen, comprising:
  - measuring at least one of said subject's biochemical parameters, resulting in at least one biochemical value; and
  - using said biochemical value to calculate said subject's responsiveness to the drug or treatment regimen,
  - wherein said biochemical value is a factor in a predictive relationship between said drug or treatment regimen and said subject's responsiveness, and said predictive relationship is formulated according to the method of claim 1.
- 8. A method for predicting the effect of the administration of insulin-like growth factor I (IGF-I) on serum levels of procollagen peptide (C1CP) and IGFBP-3 in a subject, comprising:

measuring the subject's serum level of thyroid stimulating hormone ("[TSH]");
measuring the subject's serum level of total tetraiodothyronine ("[tT4]");
measuring the subject's serum level of IGF-I ("[IGF-I]"); and calculating said
subject's responsiveness by the formula

$$P = \underline{\log ([TSH] + 1.) \times [tT4]}$$
[IGF-I]

5

10

15

20

25

wherein P is the subject's responsiveness, [TSH] is the basal concentration of TSH in micro international units per milliliter of serum (μIU/mL), [tT4] is the basal concentration of total T4 in nanograms per milliliter of serum (ng/mL), and [IGF-I] is the basal concentration of IGF-I in ng/mL.

9. A method for predicting the effect of the administration of insulin-like growth factor I (IGF-I) on serum levels of procollagen peptide (C1CP) in a subject, comprising:

measuring the subject's serum level of thyroid stimulating hormone ("[TSH]"); measuring the subject's serum level of total tetraiodothyronine ("[tT4]"); measuring the subject's serum level of IGF-I ("[IGF-I]"); and calculating said subject's responsiveness by the formula

$$P = \frac{\log ([TSH] + 1.) X [tT4]}{[IGF-I]}$$

5

10

20

25

- wherein P is the subject's responsiveness, [TSH] is the basal concentration of TSH in micro international units per milliliter of serum (μIU/mL), [tT4] is the basal concentration of total T4 in nanograms per milliliter of serum (ng/mL), and [IGF-I] is the basal concentration of IGF-I in ng/mL.
- 10. A method for predicting the effect of the administration of insulin-like 15 growth factor I (IGF-I) on serum levels of IGFBP-3 in a subject, comprising:

measuring the subject's serum level of thyroid stimulating hormone ("[TSH]");
measuring the subject's serum level of total tetraiodothyronine ("[tT4]");
measuring the subject's serum level of IGF-I ("[IGF-I]"); and calculating said
subject's responsiveness by the formula

$$P = \frac{\log ([TSH] + 1.) \times [tT4]}{[IGF-I]}$$

wherein P is the subject's responsiveness, [TSH] is the basal concentration of TSH in micro international units per milliliter of serum (μIU/mL), [tT4] is the basal concentration of total T4 in nanograms per milliliter of serum (ng/mL), and [IGF-I] is the basal concentration of IGF-I in ng/mL.


11. A diagnostic kit for predicting a subject's responsiveness to a drug or treatment regiment, comprising:

5

10

- at least one set of reagents for measuring biochemical parameters, resulting in at least one biochemical value; and
- a means for utilizing one or more biochemical values to predict the subject's responsiveness to said drug or treatment regimen,
- wherein said biochemical parameters are factors in a predictive relationship between said drug or treatment regimen and said subject's responsiveness, and said predictive relationship is formulated according to the method of claim 1.
- 12. The diagnostic kit of claim 11 wherein said drug or treatment regimen is parenteral administration of IGF-I.
- 13. The diagnostic kit of claim 12 wherein said IGF-I is combined with IGFBP-3.
- 14. The diagnostic kit of claim 12 wherein said biochemical parameters are tT4, TSH, and IGF-I.


1/6



Thyroglobulin response Festosterone response Osteocalcin response IGFBP-3 response Prolactin response **IGFBP-2** response **DHEA-S** response Total T4 response Estradiol response Total T3 response Cortisol response SHBG response BSAP response IGF-II response CICP response PTH response CBG response GF-I response EPO response LH response A4 response nd nd A nd nd D nd nd M nd nd O nd nd F ndlnd N nd nd P | Ind Ind | R S pulpu nd nd H \* Ind T SBGs Ind Ind Indind pulpu nd nd pu pu ndlnd R Thyroid JK L MNOPO Steroid Bone Somatotropic E E Ш \* Reproductive Ω ပ အ × r = 0.40 to 0.59r = 0.60 to 0.79r = < 0.40r = 0.80 <

2/6

SUBSTITUTE SHEET (RULE 26)






FIG. 4




FIG. 5




FIG. 6

Inten nal Application No PCT/US 98/03677

A. CLASSIF IPC 6	FICATION OF SUBJECT MATTER G01N33/68 G01N33/50		
According to	o International Patent Classification (IPC) or to both national classifica	tion and IPC	
	SEARCHED		
Minimum doi IPC 6	cumentation searched (classification system followed by classificatio ${\tt GO1N}$ .	n symbols)	
	ion searched other than minimumdocumentation to the extent that su		
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used	)
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
X	MIYAKAWA M ET AL: "THYROID VOLUM SERUM THYROGLOBULIN LEVELS IN PAT WITH ACROMEGALY CORRELATION WITH INSULIN - LIKE GROWTH FACTOR I LE J CLIN ENDOCRINOL METAB 67 (5). 1 973-978. CODEN: JCEMAZ ISSN: 0021 XP002065712	FIENTS PLASMA EVELS." 1988.	1
Υ	see figures 1,2	- <b>/</b>	2-14
	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
"A" docume consic "E" earlier of filing c "L" docume which citatio "O" docume other t "P" docume later ti	ent which may throw doubte on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	"T" later document published after the inte or priority date and not in conflict with cited to understand the principle or the invention of particular relevance; the cannot be considered novel or cannot involve an inventive step when the document of particular relevance; the cannot be considered to involve an indocument is combined with one or ments, such combination being obvice in the art.  "&" document of particular relevance; the cannot be considered to involve an indocument is combined with one or ments, such combination being obvice in the art.	n the application but neory underlying the claimed invention by the considered to counent is taken alone claimed invention nventive step when the lore other such docu-ous to a person skilled t family
	actual completion of theinternational search	Date of mailing of the international second	arch report
	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Wells, A	

Inter. And Application No PCT/US 98/03677

C (Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PC1/US 98/036//
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
x	ATTIE K M ET AL: "National Cooperative Growth Study substudy VI: The clinical utility of growth-hormone-binding protein, insulin - like growth factor I, and insulin - like growth factor-binding protein 3 measurements."  JOURNAL OF PEDIATRICS 131 (1 PART 2). 1997. S56-S60. ISSN: 0022-3476, XP002065713	1
Y	see table II	2-14
X	KUHN J M ET AL: "Pharmacokinetic and pharmacodynamic properties of a long-acting formulation of the new somatostatin analogue, lanreotide, in normal healthy volunteers." BRITISH JOURNAL OF CLINICAL PHARMACOLOGY 38 (3). 1994. 213-219. ISSN: 0306-5251, XP002065714	1
Y	see figures 1-4	2-14
X	US 4 880 014 A (ZAROWITZ BARBARA J ET AL) 14 November 1989 see the whole document	1
X	US 5 370 135 A (DULLIEN VIVIAN K) 6 December 1994 see claim 1	1
X	WO 96 35949 A (LANDSTINGET I OESTERGOETLAND ;HAAKANSSON LEIF (SE); HAAKANSSON ANN) 14 November 1996 see tables 2,3	1
X	EP 0 563 654 A (HOECHST ROUSSEL PHARMA) 6 October 1993 see claim 1	1
Y	CORICA F ET AL: "Reduced plasma concentrations of transforming growth factor beta-1 (TGF-beta-1) in obese women."  INTERNATIONAL JOURNAL OF OBESITY 21 (8). 1997. 704-707. ISSN: 0307-0565, XP002065715 see tables 1,2	1-14
Υ	LARON Z ET AL: "BIOCHEMICAL AND HORMONAL CHANGES INDUCED BY ONE WEEK OF ADMINISTRATION OF RECOMBINANT IGF -I TO PATIENTS WITH LARON TYPE DWARFISM." CLIN ENDOCRINOL 35 (2). 1991. 145-150. CODEN: CLECAP ISSN: 0300-0664, XP002065716 see table 2	1-14

Inter Jual Application No PCT/US 98/03677

C.(Continua	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	PC1/05 98/036//
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
		TODYAN O VIAITI NO.
Y	MURIETTA-GEOFFROY D ET AL: "INCREASE OF IGF I BINDING TO ERYTHROCYTE RECEPTORS DURING THE TRH-TEST CORRELATION BETWEEN IGF I BINDING AND THYROID HORMONE VALUES." HORM METAB RES 22 (8). 1990. 431-435. CODEN: HMMRA2 ISSN: 0018-5043, XP002065717 see table 2	1-14
	SALBE A D ET AL: "Correlation between serum insulin - like growth factor 1 ( IGF -1) concentrations and nutritional status in HIV-infected individuals."  NUTRITION RESEARCH 15 (10). 1995. 1437-1443. ISSN: 0271-5317, XP002065718 see table 2	1
	··	G.
1		
	•	
ĺ		
ĺ		

information on patent family members

Inter onal Application No PCT/US 98/03677

Patent document cited in search repor	t	Publication date	Patent family member(s)		Publication date
US 4880014	Α	14-11-1989	NONE		
US 5370135	 А	06-12-1994	AU 733279	1 A	04-05-1995
			DE 6940630	2 D	20-11-1997
			DE 6940630	2 T	19-03-1998
	•		EP 072366	5 A	31-07-1996
			JP 950410	3 T	22-04-1997
			WO 951077	9 A	20-04-1995
WO 9635949	Α	14-11-1996	CA 221562	7 A	14-11-1996
			EP 082469	6 A	25-02-1998
EP 0563654	A	06-10-1993	CA 209182	 В А	19-09-1993